



2019

SHARP MINI LATE MODEL RULES

SHARP Engineering LLC

2/04/2019

TABLE OF CONTENTS

1. SHARP MINI LATE MODELS RULES & REGULATIONS	3
2. TIRES	3
3. RIMS	3
4. HUBS	3
5. SPINDLES	3
6. STEERING	3
7. FUEL CELL & FUEL PUMP	4
8. FUEL	4
9. GEAR	4
10. RADIATOR	5
11. BRAKES	5
12. BIRD CAGES	5
13. ENGINE	5
14. WHEEL BASE	5
15. FRONT AXLE	6
16. SHOCKS AND SPRINGS	6
17. BODY	6
Sharp Mini Late Model Body Dimensions	7
18. CHASSIS	8
19. MISCELLANEOUS	8
20. SAFETY	9
21. CONDUCT	9
22. TECH, ENVELOPE & PROTEST POLICIES	11
23. PENALTY DEFINITIONS:	12
24. Appeals & Driver Feedback	12

25. MISCELLANEOUS	12
National Tech Official	12
2019 SHARP CHASSIS MEMBERSHIP & COMPETITION LICENSE INDEMNITY/RELEASE	13
2019 SHARP MINI LATE MODEL	15
MEMBERSHIP APPLICATION	15

1. SHARP MINI LATE MODELS RULES & REGULATIONS

1. Interpretation of Series rules will be at the discretion of technical inspector (track or series). All decisions by track and/or Series officials will be final. If the rules do not state you can do something, assume that you CANNOT.
2. Officials have the right to check anything, on any car, at any time
3. Officials have the right to amend any rule at any time for the betterment of the Series

2. TIRES

1. American Racer RR: 20/10-10 SHARP ONLY
2. LF, LR, RF: 19/8-10 SHARP ONLY
3. Chemical alterations of any tires are strictly prohibited.
4. **Tire softeners or conditioners which alter the chemical compound of the tire will NOT be permitted. This includes, but is not limited to, tire soaking, siping, internal applications or the use of tread softeners. This will be strictly enforced.**
5. **No Grooving of tires**
6. Grinding/buffing: **No tire grinding or buffing at track**
 - **If we see you, the tire will be marked and DQ for that event**
7. NO STICKER TIRES (NEW) CAN BE RAN IN A FEATURE RACE unless approved by Official.
8. ***You must race the tire you heat race and or qualify on***

3. RIMS

1. RF, LF, LR 10" X 8" max steel or aluminum (wheel dimension must be within +/- 1/2" of 8")
2. RR 10" X 10" max steel or aluminum (wheel dimension must be within +/- 1/2" of 10")
3. Any offset wheel
4. No plastic or carbon fiber wheels
5. No bleeders of any style
6. A bead-lock wheel is mandatory on the RR and optional (but recommended) on the RF

4. HUBS

1. Steel or aluminum front hubs

5. SPINDLES

1. Must be comparable to SHARP Chassis factory spindle

6. STEERING

1. Must be a collapsible column and axle mounted rack
2. No aluminum U-joints

7. FUEL CELL & FUEL PUMP

1. **Fuel system must include an inline schrader valve (For fuel sampling and troubleshooting)**
<https://www.sharpengllc.com/refresh>
2. Steel Can with Bladder 4 gallon MAX
3. Factory (**unaltered**) fuel pump (must be mounted in fuel cell)
4. Fuel Pressure Must be factory 40psi +-2psi
5. No aftermarket fuel pumps
6. Must use fuel line rated for fuel injection.
7. Use factory connections **with hose clamps** when possible **or better**



8. FUEL

1. **Renegade Crate 98** or **VP M98** for National Sanctioned Races.
2. PUMP GAS allowed for practices and local racing unless otherwise specified
3. Only petroleum-based unleaded or leaded gasoline as defined by the American Society of Testing and Materials (ASTM) is permitted. The Suzuki Motor Corp. recommends the use of 89 octane unleaded gasoline. Higher octane fuels can cause higher operating temperatures and reduce the running life of your engine. The only oxygenates permitted are MTBE and ethanol alcohol, in the same quantity, that are found in pump gasoline. SHARP Engineering reserves the right to require all cars use the same brand and designated grades of gasoline at a given event
4. **Specific Gravity** - The specific gravity must read from .710 to .770 at 60 degrees Fahrenheit, factored by a specific gravity temperature chart.
5. **Laboratory Testing** - SHARP Engineering reserves the right to conduct laboratory analysis of fuels. Samples for lab analysis may be taken from a competitor's fuel tank at any time at the discretion of the SHARP Technical Inspector.
6. **The specific elements which will be searched for include:** propylene oxide, alcohols (all types), aldehydes, aminodiphenyl, benzene (in excess of EPA limit), benzidine, beryllium compounds, bromine compounds, butadienes, chlorinated compounds, chromates, dioxanes, ethyl acrylate, ethylene oxide, hydrazine compounds, methylene dianiline, naphthylamine, nitrogen compounds (nitromethane, et al.), styrenes, toluidine and xylydine. Also added to this list will be substances deemed to exceed the Threshold Limit Values (TLV) or Biological Exposure Indices (BEI) as listed by the American Conference of Governmental Industrial Hygienists (ACGIH).
7. **Penalty for Fuel Rule Violations** - Any competitor (driver and/or owner) caught using any of the illegal fuel, or additives as previously mentioned is subject to a minimum disqualification, forfeit of winnings and points, minimum fine of \$300 to cover the cost associated with lab testing. Further penalties and suspensions will be determined by SHARP Engineering based on the chemical composition of the additive in question.
8. **"LEGAL" FUEL ADDITIVES:** Lubrication additives are permitted provided the resulting mixture meets the specific gravity, lab analysis requirements, etc. described in rule "Fuel."

9. GEAR

1. Front gear and chain must be steel
2. Gearing is open
3. **50 or 520** chain Only

10. RADIATOR

1. Factory SHARP Chassis or comparable
2. **Any Location under the deck**

11. BRAKES

1. **One rear brake required**
2. Optional front left brake
3. 10" max diameter of brake disc
4. **Steel braided brake line**

12. BIRD CAGES

1. Single or double bearing bird cages allowed
2. **Shock pickup location must match factory SHARP Chassis location**

13. ENGINE

1. All Components must be from a stock **Suzuki GSX-R 600 motorcycle (4 stroke, 2004-2009 model year)**, including: injectors, clutch, spark plugs, throttle bodies, and ECU
2. NO Yamaha, Kawasaki, and Honda motors
3. All engines and wire harness must be sealed by SHARP Engineering or Approved Builder.
4. 599 cc max displacement
5. 12 volt battery **ONLY** (one battery per car). Can run larger capacity battery and omit charging system.
6. NO aftermarket devices (injection systems, carbs, ignition, and/or throttle bodies)
7. Harness, ecu, injectors, and throttle bodies must be from the gsxr 600 and have the same production year
8. Aftermarket air box is allowed (Air filter element PN#E2990)
9. NO power commander or similar products
10. NO manipulating the ECU or any sensory signal (Ex. altering the sensor signal by any means)
11. Only Aftermarket exhaust header allowed is **Beyea RH exit header** or SHARP Chassis header
12. NO Stainless / Titanium **header**
13. Must have complete **functional muffler used to reduce db level of engine**
14. NO oil additives. Tech Inspection oil samples will be tested against a control based on the oil type being ran in the motor. If you say its Rotella T6, we will test against Rotella T6.
15. NO throttle body spacers
16. OEM equivalent clutch, NO lightweight clutch baskets, or modification of clutch basket and or flywheel.
17. Can run aftermarket oil pan and or run a skid plate under stock oil pan
18. Oil pan and clutch cover baffles are allowed to help keep oil near the pickup
19. Secondary plates in throttle body may be removed
20. STVA may be unplugged or deleted

14. WHEEL BASE

1. 69" +/-3" (**as raced, with driver seated in car**)
2. Max overall length of car 146"

3. Max overall width 63" outside of the rubber

15. FRONT AXLE

1. One piece straight front axle (must be comparable to factory SHARP Chassis axle)
2. Must be steel
3. 2 radius rods RH side
4. 1 radius rod LH side
5. **Shock pickup location must match factory SHARP Chassis location**
6. Front axles can be cambered

16. SHOCKS AND SPRINGS

1. Bilstein 6" steel-bodied shock with a SHARP Chassis tamper tag. (Shocks must come from SHARP Chassis).
2. Must mount in designated chassis locations
3. NO 4 link/bar
4. Only 4 shocks per car (**One functioning on each corner**)
5. 1" max shock extension
6. Must be coilover configuration (spring must be mounted over shock)
7. Only 4 springs per car (one spring per shock)
8. Any spring rate is allowed
9. 1-7/8" diameter springs only (8" or 10" tall spring is allowed)
10. No barrel springs & No Bump Rubbers
11. **No coil binding**

17. BODY

1. **Body style and design must resemble a modern era Dirt Late Model (No wedge bodies, no billboard sides, etc.)**
2. **Min 8"x16" Sharp Chassis Decal on Rear Quarter Panels (See 17.2-A)**
3. **Numbers must be Min 16" Tall on both sides**
4. 146" Total length
5. 39" Max length that the nose stick forward on the front tires
6. 34" Max body height from ground
7. 61" Max top deck width
8. 4" Deck drop Max
9. **Sail Panels can either be open or closed. The borders of the sail panels must be within 1" of each other (Left to Right).**
10. **Sail panels cannot extend further rearward than the leading edge of the spoiler endplate.**
11. 6.5" max spoiler height
12. The roof must be attached to the top of the roll cage with a max of 1" spacer on top of the tab **except for in a SHARP Chassis designated "Topless Race".**
13. **Body must be wider than wheels**
14. **Door Panels MUST be rectangular in dimension**
15. **Right and left doors must be equal dimension +/- .5"**
16. **The top edge, measured from the ground, of the rear quarter, door and front fender to the point where the fender flare attaches must be a straight line, within one inch on both sides of the car**

Alternate Decal Rule (17.2-A)-

Very few people have contacted me directly with any complaints about the rules. No one has submitted a formal complaint via our designated feedback form found [here](#), and at the top right of the rules page on our website. From now on, please use this form for any feedback or complaints. It helps us to better organize, log and address the issues.

We are reasonable and want what is best for the class. I also understand the complaints with the decal location on Rule 17.2. This rule was in the very first set of rules and somehow omitted. With increasing car counts and increasing tracks, the cars need an identity to the fans. We are running at over 50 tracks and 16 different states. Our cars are easily confused with other mini late models, TQs etc. The majority of the cars had this logo in that location already. We measured them and they were 8"x22" on the original cars. We decreased the size to 8"x16" in the rules to allow more room for sponsors.

We understand that some of you already have the wraps printed. If your wrap is already finalized, **two decals on each side within designated locations** will suffice. Minimum dimension **at Location 1 is 3"x10"**, and **Location 2 is 4"x12"** (**Repeated for both sides, 4 SHARP Chassis decals total**).



IF your car is already in compliance with the original 8"x16" decal rule, only two decals are required per car on the exterior of each of the rear quarter panels.

Every driver and owner is an ambassador for the class! If you want the class to grow, you have to tell people what it is. Ultimately you want the people in the stands to know what it is so we get more cars, more sponsors and more tracks.



Sharp Mini Late Model Body Dimensions

-The drivers' helmet may not exceed the roll cage height.



18. CHASSIS

1. Must be Serial Numbered SHARP Chassis

Chassis History

- -Initial prototype x1 (decommissioned)
- -Flat bottom square tube x3
- -RBRC square tube base x6
- -Mass Production Round Tube (MPRT)

The SHARP Chassis MPRT

The **MPRT** CHASSIS is the CHASSIS of today and tomorrow. The chassis shares all the same pickup points as the first prototypes. A few bars have been added for safety and the entire CHASSIS is round tube for ease of manufacturability and repair.

2. The chassis all have the same suspension pickup points and these will **never** change.
3. All chassis repairs must be done by SHARP Engineering or approved repair shop and those repairs must be submitted to SHARP Engineering LLC for logging.

The MPRT CHASSIS is designed to accommodate a wide array of driver sizes up to 6'3" 260 lbs+ but additional roll hoop height can be requested, a flat seat pan, or elongated halo.

The MPRT CHASSIS is designed to use the stock oil pan and thus the right rail is the lowest part on the CHASSIS to protect the oil pan from debris and bottoming out on the track. The car was designed this way for a reason.

Additional tabs for securing the car on the trailer, body tabs, mounting devices, ground lugs etc. can be requested during build, or added post build by SHARP Engineering LLC.

All safety related updates will be done free of charge to any existing customers.

If you have questions or concerns please contact SHARP Engineering LLC headquarters.

19. MISCELLANEOUS

1. Raceceivers are mandatory
2. No air shifter/No traction control
3. No data acquisition systems (Mychron 5 is legal)
 - If using Mychron 5 you cannot use any additional sensor beyond water temp, rpm, gps
4. No remote weight jacks or suspension adjustments from cockpit
5. No aluminum bolts
6. No radio communication in cars
7. No spring or biscuit pull or pan-hard bars
8. No torsion, leaf, or sway bars
9. 7/16" minimum heim on all rear suspension parts
10. 3/8" minimum heim on all front suspension parts
11. Straight live rear axle (no independent rear axle)
12. Certified race seat mounted with three 3/8" bolts minimum and 5-point safety harness

13. Any added lead must be painted WHITE, have car number on it, and be mounted with minimum of 3/8" bolts
14. Points will be awarded to "driver" not car
15. Rookie driver must start in rear for 3 races. Yellow strip on spoiler HIGHLY recommended.

20. SAFETY

1. Full containment seat HIGHLY recommended
2. Neck brace/device **REQUIRED. HANS Style device HIGHLY recommended**
3. **A steel Trash Guard is REQUIRED. Vertical bar spacing cannot exceed 6", and must have a minimum of 4 vertical bars.**
4. **Safety nets REQUIRED on the left side window of the car. Triangle style window net is permitted, but must have provisions to prevent net from moving out of place**
5. **No deformed safety devices at the start of the night (i.e. Front bumper, rear bumper, nerf bars).**
6. **All safety devices must be made of the same material composition, thickness, and form**
7. **Bolts with lock nuts in steering system universal joints**
8. Two Thread rule on **ALL** fasteners
9. Helmet, Belts in Date
10. Racing suit mandatory (1 or 2 piece)
11. **Receiver mandatory**
12. Fire extinguisher mounted in cockpit (must be charged) min 2lb BC rated
13. Large Fire extinguisher in pits HIGHLY recommended

21. CONDUCT

* The conduct rules are as follows. These rules are enforceable by local tracks.

All instances must be substantiated by the track or video evidence.

1. Under green flag or caution flag conditions, the **race official** reserves the right to invoke penalties and/or suspensions of any driver whose actions are deemed to be overly aggressive, or fall into the category of rough driving. **Aggressive driving is officiated by the race official.**

-Note: This rule is not intended to eliminate competition or accidental contact; however, it is intended that deliberate contact and/or over-driving will be penalized.

2. Drivers will be notified of penalties that have been levied by the Rules Committee / Appeal Board.
3. Any competitor that verbally abuses the series, a fellow racer, or official by using profane and/or disrespectful language is subject to a fine of \$300 for the first offense and one race suspension, a \$600 fine, two-race suspension, and loss of points for the second offense. More than two offenses will be subject to a one month or more suspension and loss of points.
4. Any physical confrontation, either on the race track or in the pits, will result in the aggressor or aggressors being suspended for one race, loss of points, and fined \$300 for the first offense. The second offense will be a suspension for the remainder of the season, and a minimum of a \$500 fine.
5. **Any driver** who enters another driver's pit area will be deemed the aggressor. Away from either driver's pit area, both drivers will be considered aggressors. Drivers should be aware that they will be held responsible for **all members** of their race team, and the above penalties will apply even if the driver concerned is not directly involved.
6. Any incidents that occur during the last five events of the season could result in penalties being applied at the beginning of the following season.
7. **Any incidents that are judged to be deliberate acts of aggression will result in disqualification and a monetary fine to be determined by the Rules Committee / Appeal Board .**

8. Any and all actions, including negative use of the internet, including any social media, by person or persons ruled detrimental to the Series, or its officials, drivers, and/or owners will receive a minimum \$50 fine, along with a possible suspension, and/or lifetime ban from participating and any SHARP mini late model event. These actions or any similar will not be tolerated
9. Officials reserve the right to increase the above penalties, depending on the severity of the incident.
10. Any disqualification will result in no points and no money for the event.
11. Disciplinary action may also include, but is not limited to, the right of the series organizers and officials to suspend either temporarily, or permanently, any driver, team member or team sponsor, whose actions, in the sole opinion and discretion of the series organizers and officials, may have resulted in, or may result in, harm or detriment to the SHARP MINI LATE MODEL Organization and or SHARP Engineering LLC.
12. The organizers and officials also reserve the right to request the removal of any derogatory or distasteful statements on any race car, trailer or transporter. Failure to comply with this request for removal may result in disqualification from some or all of the SHARP MINI LATE MODEL events.
13. The decisions made, and the disciplinary actions taken, by the organizers and officials hereunder shall not be appealed by the driver, team member or team sponsor affected thereby.

Please remember that we are here because of the fans, promoters and the sponsors. If they don't benefit, we won't benefit. While we understand that this competition involves substantial financial stakes, there is no excuse for bad or unruly behavior, which would tend to bring the series into disrepute.

Please note: By entering, qualifying and/or racing in a SHARP MINI LATE MODEL event, you are accepting these rules and regulations as being those under which you are prepared to race. Any driver entering and competing in a SHARP MINI LATE MODEL event acknowledges and accepts the following: the SHARP MINI LATE MODEL and its assigns may use the drivers names, pictures, likeness, and performances in any way, medium, or material; including without limitation by and through, television, radio, air wave: cable and satellite broadcasts, film productions, videotape reproductions, audiotape reproductions, transmissions over the internet, and public and private on-line services authorized by the SHARP MINI LATE MODEL and the like, before, during and after the event, for promoting, advertising, recording or reporting in the event or any SHARP MINI LATE MODEL sanctioned event, and due hereby relinquish all rights there to for these purposes, provided however, that the car owner and driver shall retain the exclusive use of its or his name; picture and likeness in connection with product endorsements and the sale of products, services, concessions and merchandise.

22. TECH, ENVELOPE & PROTEST POLICIES

Pre-Race Tech:

1. **Pre Race Tech Sheet must be submitted to tech official prior to the first outing.**
2. Courtesy inspection- if we find something in pre-tech you will be given the opportunity to correct without penalty.

Post-Race :

3. **Car Must Weight 975 lbs (no burn off allowance) post qualify and feature 2019 Production car is 715 lbs**
4. Minimum Top Three cars
5. **Prerace inspection check sheet is reviewed and compared to the corresponding racecar. Discrepancies will be an automatic DQ**
6. 1st place will pull two items from the envelope
7. 2nd place will pull one item from the envelope
8. 3rd place will pull one item from the envelope

Envelope items: (include, but are not limited to)

8. Durometer of tires (Punch must compare to other two cars)
9. Shocks (Pulled rebound comparison test, DQ the **shock** if damaged, DQ the **car** if altered shock or non spec)
10. Head (visual inspection, port modification)
11. ECU+ Sensors signals (will look at data stream through DAQ port) Baro, Map, Temps, should be in range
12. **Fuel pressure (per rule- install gauge to check)**
13. Wheel base
14. Throttle bodies (STVA removal OK, must be 600cc throttle body and injectors, no other modifications, no butterfly polishing, shaft thinning etc)
15. Harness Inspection (bypasses, etc)

Protest Procedure:

16. Protest must be ordered via <https://www.sharpengllc.com/protest>
17. **Open Protest: ANY RACER can protest ANY item on ANY car at ANY time for ANY reason**
Protest cost based on the cost to SHARP Engineering
Tire: \$100+\$2.66+\$30= \$132.66
Fuel: \$132.66
Throttle Body: \$60
Exhaust and Intake Cams: \$60
Clutch: \$60
Bottom End: \$90
Shock: \$60 per shock
Complete Engine: \$700+ \$88+\$88+\$90+\$90=\$1056
Cylinder Head: \$200+ \$356=\$556
17. **After protest has been filed and money has been put up, it will not be returned for any reason.**
18. **Protest cannot be taken down once it is filed; this is to avoid swapping money, which is unfair to rest of field.**

19. Protest must be submitted through online portal <https://www.sharpengllc.com/protest> and payment received no later than 72hrs after the event.
20. Any car found illegal will have until the next scheduled event to fix items deemed illegal and pay any fines. Car will be inspected by track official or Series official before it may compete again.
21. Disqualified cars are Disqualified at all events until the issues are resolved.
22. Multiple rule infractions may result in further actions and/or suspension.

23. PENALTY DEFINITIONS:

1. Any Items deemed illegal will have a min of a \$300 fine per infraction.

Tires

2. Any tire found not to meet the benchmark:
 - 1st offense (\$1500) fine
 - 2nd offense (\$5000) fine suspended for 365 days

Powertrain

3. Any bypassing of Seals and/or Internal Engine Tampering:
 - Immediate disqualification, return of winnings, 6 Race Suspension, Engine Confiscated and \$3500 Fine

All Offenses can be appealed, and will all appeals will be reviewed by The Board.

24. Appeals & Driver Feedback

Any appeal should be in writing and mailed to:

SHARP Engineering LLC
27175 US HWY 80
Portal Ga,30450

In conjunction to a written appeal, the same information MUST be submitted via the online feedback form.

Drivers, Fans, and Track Owners can provide feedback, report suspicious activity, or congratulate us on a job well done via the feedback form. A link can be found on the Main Rules Page on our website.

25. MISCELLANEOUS

1. Once you enter the racing surface for an event you are expected to be ready to race. If you enter the pits you must join the field at the rear.
2. Do not stop on the track unless directed by officials or you are reporting a hazard or dangerous condition. Once directed to your starting spot, go there immediately.
3. These rules are amended when necessary and any bulletins take precedence.

National Tech Official

For tech related questions please email:

RD@sharpengllc.com

2019 SHARP CHASSIS MEMBERSHIP & COMPETITION LICENSE INDEMNITY/RELEASE

(must be completed by all applicants)

I HEREBY CERTIFY that any license hereunder is granted for the sole purpose of enabling me to participate in a race, or other motorsports-related activity. My presence in, about, or en route to or out of any premises where SHARP MINI LATE MODEL sanctioned events are presented is in furtherance of that SHARP MINI LATE MODEL event.

I HEREBY AGREE that by signing this Competition Application that I will abide by all rules and regulations as set forth by SHARP MINI LATE MODEL including, but not limited to, the following:

- (1) I agree to abide by all rules and regulations, including car specifications and safety rules;
- (2) I agree that I shall be the sole spokesperson for myself, the car owner, and the race crew in all matters pertaining to the compliance with the rules and regulations, and I agree and understand that I am responsible for the conduct of my crew;
- (3) I agree and understand that by submitting my race car for various technical and safety inspections, I certify that the race car meets all rules and regulations for participation in SHARP MINI LATE MODEL sanctioned event, and I understand that the burden of proof will rest upon me to show that I am in compliance with all of the SHARP MINI LATE MODEL rules and regulations, and I understand that any violation of such rules and regulations may result in confiscation of illegal parts, fines, suspensions, and/or loss of points **and winnings**;
- (4) I agree to appropriately use all required stickers, decals and patches and I understand that failure to do so may result in loss of points and forfeiture of all money and awards for the event;
- (5) I agree that all decisions of SHARP MINI LATE MODEL race officials, or track officials, regarding the interpretation and application of the SHARP MINI LATE MODEL rules, regulations and the scoring of positions (race day decisions), shall be nonlitigable. Any disputes regarding the interpretation and application of the SHARP MINI LATE MODEL rules, regulations and the scoring of positions shall be fully and finally adjudicated by an independent Appellate Board to be promptly created by SHARP CHASSIS, promoters, team owners, drivers, and crew members, and subject to the SHARP CHASSIS Appeals Process and Regulations. I further covenant and agree that I will not initiate any type of legal action against SHARP CHASSIS, SHARP ENGINEERING LLC, or a SHARP MINI LATE MODEL promoter, or official, to challenge such decisions, to seek monetary damages, to seek injunctive relief, or to seek any other type of legal remedy. I agree that my sole remedy is the pursuit of an appeal of the decision of the Appellate Board in this regard. I understand that if I pursue such legal action, which expressly violates this provision, then I expressly agree to reimburse SHARP CHASSIS, SHARP ENGINEERING LLC, or the SHARP MINI LATE MODEL promoter or official, for all of its attorney's fees and costs in defending against such legal action;
- (6) I hereby assign to SHARP CHASSIS and SHARP MINI LATE MODEL Sponsors the non-exclusive rights to my image and likeness, and the image of my vehicle, whether portrayed

in still or action pictures, drawings, or other artistic renderings, relating to or depicting my participation in SHARP MINI LATE MODEL sanctioned events;

(7) I further understand that there is no express or implied warranty of safety resulting from publication or compliance with the SHARP MINI LATE MODEL rules, and that they are intended merely as a guide and are minimum requirements for the conduct of the sport and are in no way a guarantee against injury or death to participants, spectators, or others;

(8) I understand that I am not an agent or employee of SHARP CHASSIS or any SHARP MINI LATE MODEL sanctioned race track. Further, I understand that I am solely responsible for compensating my employees, agents or pit crew members. I also assume full responsibility for reporting or filing any reports or tax returns with the appropriate authorities on any and all earnings or funds received as a result of my participation in SHARP MINI LATE MODEL sanctioned racing events, including, but not limited to, Federal Social Security taxes, Federal income taxes, State income taxes, Federal and State withholding taxes, unemployment taxes and workers compensation insurance;

The undersigned acknowledges that auto racing and related events are HAZARDOUS activities which carry with them significant risk of personal injury, death, or property damage. I also understand that there are natural, mechanical, and environmental conditions and risks which independently or in combination with the activities may cause property damages or severe or even fatal injuries to me or others. I have made a voluntary choice to participate in the activities. I agree to accept all responsibility for the risks, conditions and hazards which may occur whether or not they are known or contemplated by me. Except as set forth below, I hereby expressly assume any and all of the foregoing risks including the risks of injury, death, or property damage and accept sole responsibility for the safety and medical insurance costs of the participant. I further agree to forever release and hold harmless and indemnify SHARP CHASSIS, its subsidiaries, directors, officers, agents, employees, officials, assigns, promoters representing races or other events under SHARP MINI LATE MODEL sanction events, the owners and lessees of premises on which SHARP MINI LATE MODEL sanctioned events are presented, and participants thereon, for all accidents, losses, injuries (including, but not limited to death), or other casualty arising out of my participation in, about, or en route to and out of the premises where SHARP MINI LATE MODEL sanctioned or operated racing events or related activities are presented. By signing this release, I understand that any and all risk (including those set forth above) are expressly assumed by me and all claims or potential claims are expressly waived in advance. I verify that I am in good health and have no conditions that would impact my participation in auto racing or its related activities. THE UNDERSIGNED HAS READ AND VOLUNTARILY SIGNS THE MEMBERSHIP AND COMPETITION LICENSE INDEMNITY/RELEASE, and further agrees that no oral representations, statements or inducements have been made by SHARP CHASSIS or SHARP MINI LATE MODEL promoters.

Applicants
Signature: _____

Applicants
Name: _____

PRINT CLEARLY

Date: _____

Return Signed and Completed

Attn: Memberships

704 Foxboro Lane, Portal Georgia 30450

2019 SHARP MINI LATE MODEL MEMBERSHIP APPLICATION

Driver Name: _____ Car #: _____

Driver Address: _____

(please print and fill out completely)

_____ Zip Code: _____ DL #: _____ - _____ - _____

Birth Date: ____/____/____ Phone Numbers: (h) _____ (w) _____

Cell Phone Number: _____ Email Address: _____

Driver Website: _____ Other Car # Choices: _____

*Car Owner: _____ DL #: _____ - _____ - _____

Owner Address: _____ Zip Code: _____

Phone Numbers: (h) _____ (w) _____ (c) _____

Chassis ID: (Chassis#) _____ (Engine Seal#s) _____ / _____

(ECU-Seal#s) _____ / _____ (Chassis Color) _____ (Body Color) _____

**THE PERSON THAT ANY PURSE OR POINT FUND MONIES ARE PAID TO SHOULD BE LISTED
ABOVE AS CAR OWNER WITH COMPLETE INFORMATION PROVIDED.**

Early Application Fee: \$ 10 (must be received prior to February 28th, 2019)

Standard Application Fee: \$ 25 (received after March 1st, 2019)

IN CONSIDERATION of the acceptance of this Series Membership Form, I for myself, my heirs, next of kin, personal representatives and assigns, FOREVER RELEASE, REMISE and FOREVER DISCHARGE and AGREE TO HOLD HARMLESS and INDEMNIFY the promoters presenting races or other events, the owners (lessors) of the premises at which these events are held, the participants, thereon, and the owners, sponsors and manufacturers of all racing equipment used in any of these events, the officers, directors, agents, employees and servants of all of them, including officials and participants, of and from all liability, claims, action and of possible causes of action whatsoever. Including negligence of any of the foregoing, that may accrue to me or my heirs, next of kin and personal representatives from every and any loss, damage and injury, including death, that may be sustained by my person and property while in or about and in route into and out of the event.

By signing this form I acknowledge that I have read the entire form and understand its contents. The promoter(s) has consent to use driver name and likeness for promotional and souvenir materials. This entry may be revoked at any time for failure to adhere to tour rules, implied or assessed. Entry must be filed in order to compete.

Driver Signature: _____ Date Signed: _____

Checks may be made payable to: Sharp Engineering LLC, 27175 US HWY80, Portal, Georgia 30450. For further information log on to www.sharpchassis.com. Cell phone and email information is requested to help inform members if the situation of an event rainout or cancellation should occur.